EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	261	display$4 with (authenticat $4 authoriz$6) with (choo $4 choice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 13:04
L2	74	1 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 13:05
L3	0	display$4 with (authenticat $4 authoriz$6) same (choo $4 choice) same biometric with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 13:11
L4	5	display$4 with (choo$4 choice) same biometric with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 13:11
L5	38	(choo$4 choice) with biometric with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 13:13
L6	1	5 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 13:13
L7	235	(choo$4 choice) with (authenticat$4 authoriz $6) near (technique method process proceedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 13:16
L8	37	7 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 13:16
L9	30	(choo$4 choice) with (authenticat$4 authoriz $6) near list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 13:24

L10	9	9 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 13:24
L11	385	display$4 with (authenticat $4 authoriz$6) near2 list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 13:27
L12	81	11 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 13:27
L15	463	register$4 with default and (authenticat$4 authoriz$6) near (technique method process proceedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 13:37
L16	81	15 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 13:38
L17	1	("20040215980").PN.	US-PGPUB; USPAT	OR	OFF	2009/03/17 13:47
L18	505	(FOLEY near JAMES) (JOHNSON near RICK) (NAMBIAR near ANANT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:33
L19	8	L18 and authentication. clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:33
L20	740	726/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L21	0	L20 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34

L22	1692	713/182.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L23	6	L22 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L24	567	(client user) with (select $4 choos$4 choice) with (authenticat$4 authoriz $6) near (type method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L25	3	L24 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L26	3967	(client user) with (select $4 choos$4 choice) near2 (authenticat$4 authoriz $6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L27	364	L26 same (register$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L28	1	L27 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L29	278	(select$4 choos$4 choice) with password with biometric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L30	0	L29 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L31	91	(client user) with (select $4 choos$4 choice) near2 (authenticat$4 authoriz $6) near level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34

L32	1	L31 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L33	43	(client user) with (select $4 choos$4 choice) near2 ((log$4 sign$4) adj (in on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L34	0	L33 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L35	1097	(client user) with (select $4 choos$4 choice) near2 (login logon signin signon)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L36	0	L35 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L37	91	(client user) with (select $4 choos$4 choice) near2 (login logon signin signon) near2 (method type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L38	0	L37 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L39	77	(client user) with pick$4 near2 (authenticat$4 authoriz$6 logon login)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L40	0	L39 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L41	1385	(register$4 registration) with (authenticat$4 authoriz$5 login logon) near (type method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34

L42	159	L41 same (pick$4 choos$4 choice select$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L43	0	L42 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:34
L44	23	L41 same password same biometric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L45	0	L44 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L46	64	accept$4 with (multiple different "more than one" plurality) with (authenticat $4 authoriz$5 login logon) near (type method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L47	1	L46 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L48	235	(select$4 choos$4 choice pick$4) with (multiple different "more than one" plurality) with (authenticat $4 authoriz$5 login logon) near (type method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L49	1	L48 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L50	32	L48 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L51	4823	(select$4 choos$4 choice pick$4) with (multiple different "more than one" plurality) with (authenticat $4 authoriz$5 login logon)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35

L52	1022	L51 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L53	990	L52 not L50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L54	26	L53 and password same biometric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L55	0	L54 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L56	2678	(register$4 registration) with (multiple different "more than one" plurality) with (authenticat$4 authoriz$5 login logon)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L57	1	L56 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L58	612	defin$4 near3 (authenticat $4 authoriz$5 login logon) near (type method procedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L59	0	L58 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L60	635	(select$4 choos$4 choice pick$4) with (authenticat $4 authoriz$5 login logon) near procedure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L61	0	L60 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35

L62	888	(select$4 choos$4 choice pick$4) with (authenticat $4 authoriz$5 login logon) near (scheme procedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L63	207	L62 same (register$4 registration sav$4 stor$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L64	0	L63 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L65	109	(select$4 choos$4 choice pick$4) with (multiple different "more than one" plurality) with (authenticat $4 authoriz$5 login logon) near (scheme procedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L66	0	L65 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L67	323	multiple adj (authenticat $4 authoriz$5 login logon ((log$4 sign$4) adj (on in))) near (type method procedure scheme)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L68	0	L67 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L69	228	(user client) near2 (choice choos$4 pick$4 select$4) near3 (authenticat$4 authoriz$5 login logon ((log$4 sign$4) adj (on in))) near (type method procedure scheme)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35
L70	1	L69 and @ad<"20010103" and @pd>"20080902"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 14:35

| L71 | 80 | (user client) near2 (choice choos$4 pick$4 select$4) near3 (authenticat$4 authoriz$5 login logon ((log$4 sign$4) adj (on in))) near list | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/17 14:35 |
| L72 | 0 | L71 and @ad<"20010103" and @pd>"20080902" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/17 14:35 |

3/ 17/ 09 2:45:55 PM
C:\ Documents and Settings\ mpyzocha1\ My Documents\ EAST\ Workspaces\ 10035064-4.wsp